

SAMPLE OCI OUTBOUND INTERFACE FIELDS

DESCRIPTION	MANDATORY	CATALOG-SPECIFIC	FIELD NAME	FIELD NAME VARIABLE/FIXED
Catalog URL	Yes	Yes	<blank>	Fixed
All Catalog Specific fields	As relevant	Yes		Variable
Return URL	Yes	No	HOOK_URL	Variable
OK code	Yes	No	~OKCODE	Fixed
Target	Yes	No	~TARGET	Fixed
Caller	Yes	No	~CALLER	Fixed

FIG. 2

SAMPLE OCI INBOUND INTERFACE FIELDS

ITEM	NAME	REQUIRED/OPTIONAL	TYPE LEGTH
Description	NEW_ITEM-DECRPTION[n]	Required if Product Master is not specified	CHAR-40
Product Master	NEW_ITEM-MATNR[n]	Required if the Description field is not specified	CHAR-18
Product Group	NEW_ITEM-MATGROUP[n]	Optional	CHAR-10
Quantity	NEW_ITEM-QUANTITY[n]	Required	CHAR-15
Unit of Measure	NEW_ITEM-UNIT[n]	Required if Product Master field is not filled	CHAR-3
Price	NEW_ITEM-PRICE[n]	Optional	CHAR-15
Price Unit	NEW_ITEM-PRICEUNIT[n]	Optional	CHAR-9
Currency	NEW_ITEM-CURRENCY[n]	Required if price is returned, otherwise optional	CHAR-5
Lead Time	NEW_ITEM-LEADTIME[n]	Optional	CHAR-5
Vendor	NEW_ITEM-VENDOR	Optional	CHAR-10
Product ID	NEW_ITEM-EXT_PRODUCT_ID[n]	Optional	CHAR-40
Catalog ID	NEW_ITEM-EXT_CATEGORY	Optional	CHAR-40

FIG. 3A

```
<HTML>
<HEAD>
<HEAD>
<H1>SAP Open Catalog Interface: HTML - Example</H1>
</HEAD>
<P>This is an example, what needs to be generated by the catalog engine, if
the user is done with picking items in his shopping basket.</P>
<P>View the source of this file to see all the text inputs.</P>
<BODY bgcolor="#DED6C2">
<FORM action="<%=Request.QueryString("HOOK_URL")%>" method=post
target=_top>
<!--For more information about the interface fields, refer to the catalog
interface description-->
<!--Item number 1-->
<input type="hidden" name="NEW_ITEM-DESCRIPTION[1]" value = "Pen,
Easytouch, Medium, Black">
<input type="hidden" name="NEW_ITEM-MATNR[1]" value = "">
<input type="hidden" name="NEW_ITEM-MATGROUP[1]" value = "">
<input type="hidden" name="NEW_ITEM-QUANTITY[1]" value = "1">
<input type="hidden" name="NEW_ITEM-UNIT[1]" value = "EA">
<input type="hidden" name="NEW_ITEM-PRICE[1]" value = "0.50">
<input type="hidden" name="NEW_ITEM-PRICEUNIT[1]" value = "5">
<input type="hidden" name="NEW_ITEM-CURRENCY[1]" value = "USD">
<input type="hidden" name="NEW_ITEM-LEADTIME[1]" value = "1">
<input type="hidden" name="NEW_ITEM-VENDOR[1]" value = "1768">
<input type="hidden" name="NEW_ITEM-VENDORMAT[1]" value =
"648570">
<input type="hidden" name="NEW_ITEM-MANUFACTCODE[1]" value = "4711">
<input type="hidden" name="NEW_ITEM-MANUFACTMAT[1]" value = "4712">
<input type="hidden" name="NEW_ITEM-CONTRACT[1]" value = "111">
<input type="hidden" name="NEW_ITEM-CONTRACT_ITEM[1]" value = "1111">
<input type="hidden" name="NEW_ITEM-SERVICE[1]" value = "">
<input type="hidden" name="NEW_ITEM-EXT_QUOTE_ID[1]" value = "111">
<input type="hidden" name="NEW_ITEM-EXT_QUOTE_ITEM[1]" value = "1111">
<input type="hidden" name="NEW_ITEM-EXT_PRODUCT_ID[1]" value = "11111">
<input type="hidden" name="NEW_ITEM-LONGTEXT_1:132[]" value = "longtext_1:
The best pen in our program, lightweight and easy to handle">
<input type="hidden" name="NEW_ITEM-CUST_FIELD1[1]" value = "custf
1.1">
<input type="submit" value="Transfer Items to B2B shopping basket"
id=submit1 name=submit1><br>
</FORM>
&copy; 2000, SAP AG
</BODY>
</HTML>
```

FIG. 3B




FIG. 4




FIG. 5




FIG. 6




FIG. 7